











PRODUCTS INFORMATION	M.W.	M.P. (°C)	APPLICATION	COLOR
UV 531 (BP 12) CAS #: 1843-05-6	326	47-49	PP, PE, PVC, ABS, PS, PC, Coatings	Light Yellow
UV 9 (BP 3) CAS #: 131-57-7	228	63-64.5	PVC, PS, PU, PMMA, ABS, Acrylate Resin, Fibers, Cosmetic	Light Yellow
UV 284 (BP 4) CAS #: 4065-45-6	308	140 Min.	Waterborne Coating / Ink, Fibers, Cosmetic	Light Yellow
UV 3049 (BP 6) CAS #: 131-54-4	274	130 Min.	PVC, PUR, Epoxy Resin, Acrylate Resin, Fibers, Phenolic Resin, Lenses	Light Yellow
UV 3035 CAS #: 5232-99-5	277	96-98	PVC, PC, PS, PET, UPR, ABS, ASA, SBR, Cosmetic	White
UV 3039 CAS #: 6197-30-4	361	Liquid	PVC, PUR, UPR Cosmetic	Yellow
UV 1084 CAS #: 14516-71-3	573	245-280	PP, HDPE, LLDPE, LDPE, EVA	Light Green
UV 1031 Blend	--	--	PP, HDPE, LLDPE, LDPE	Light Green
UV P CAS #: 2440-22-4	225	128-130	PVC, PUR, UPR, PS PA, ABS, Elastomer	White to Light Yellow
UV 234 CAS #: 70321-86-7	448	137-141	PVC, PA, PC, PET, TPU, PUR, PS, POM	White to Light Yellow
UV 320 CAS #: 3846-71-7	323	152-156	PVC, PA, PC, TPU, Fibers	White to Light Yellow
UV 326 CAS #: 3896-11-5	316	138-141	PE, PP, PVC, PET Thermoplastics	White to Light Yellow
UV 327 CAS #: 3864-99-1	358	154-158	PE, PP, PVC, PUR, TPU, PS, PC, ABS, PET, Rubbers, Fibers	White to Light Yellow
UV 328 CAS #: 25973-55-1	351	80-83	PE, PP, PVC, PUR, TPU, UPR, PS, ABS, PA, POM, Fibers	White to Light Yellow
UV 329 CAS #: 3147-75-9	323	102-106	PVC, PUR, PET, UPR, PS, ABS, PS, PA, PMMA, Fibers	White to Light Yellow
UV 360 CAS #: 103597-45-1	659	195-198	PA, PC, TPE, Thermoplastics	White to Light Yellow
UV 571 CAS #: 125304-04-3	394	Liquid	PVC, PA, TPU, PUR, PMMA EVOH, EVA, PET / PETG	Yellow














PRODUCTS INFORMATION	M.W.	M.P. (°C)	APPLICATION	COLOR	
UV 770 CAS #: 52829-07-9	 484	81-85	PP, PE, TPU, PMMA, ABS, SAN, ANS, PA, PET, EPDM	White	
UV 622 CAS #: 65447-77-0	 3100-4000	50-70	PE, PP, TPU, PUR, EVA, POM, TPE, PA, Rubbers, Fibers	White	
UV 944 CAS #: 70624-18-9	 2500-3100	100 Min.	PE, PP, PVC, TPE, EVA, PA, ABS, PS, Fibers	White	
UV 783 Blend	UV 944 / UV 622 1:1	--	90 Min.	PP, HDPE, LLDPE, LDPE, EVA, Rubbers, Fibers	White
UV 791 Blend	UV 770 / UV 622 1:1	--	55 Min.	PP, PE, Thermoplastics EPDM,	White
UV 123 CAS #: 129757-67-1	 737	Liquid	PP, PVC, PUR, Poly- acrylics, Elastomers, Paint, Coating, Ink, Sealants, Adhesives,	Light Yellow	
UV 292 Blend	41556-26-7 + 82919-37-7	--	Liquid	PE, PP, TPU, PUR, UPR, PVC, TPE, Polyacrylics	Light Yellow
UV 765 Blend	41556-26-7 + 82919-37-7	--	Liquid	PE, PP, TPU, PUR, UPR, PVC, TPE, Polyacrylics	Light Yellow
UV 213 Blend	104810-48-2, 104810-47-1, 25322-68-3	--	Liquid	PVC, TPE, TPU, PC, PMMA,	Light Yellow
UV 1130 Blend	104810-48-2, 104810-47-1, 25322-68-3	--	Liquid	Coatings for Automotive, Industrial, Wood, Plastics and Urethane.	Light Yellow
UV 5050 Blend	41556-26-7+82919-37-7, 127519-17-9 (UV 384)	--	Liquid	Coatings for Automotive, Industrial, Wood, Plastics and Urethane.	Light Yellow
UV 5060 Blend	129757-67-1 (UV 123), 127519-17-9 (UV 384)	--	Liquid	Coatings for Automotive, Industrial, Wood, Plastics and Urethane.	Light Yellow
UV 5151 Blend	104810-47-1 + 104810-48-2, 41556-26-7 + 82919-37-7, 25322-68-3	--	Liquid	Coatings for Automotive, Industrial, Wood, Plastics and Urethane.	Light Yellow
UV 1164 CAS #: 2725-22-6	 509	88-91	PE, PP, TPO, PET, POM, PA, PC, PBT, PMMA, Fibers	Light Yellow	
UV 312 CAS #: 23949-66-8	 312	122-127	PVC, PMMA, PUR, UPR, PBT, PA, PC, Coatings	White	
UV 3346 CAS #: 82451-48-7	 1450-1750	90-115	PE, PP, PET, PBT, PC, PU, PA, EVA, ABS, POM	Off-white	
UV 1 CAS #: 57834-33-0	 282	Liquid	PU, Foams, Adhesives	Pale Yellow	



PRODUCTS INFORMATION		M.W.	M.P. (°C)	APPLICATION	COLOR
AO 1010 CAS #: 6683-19-8		1178	110-125	PP, PE, PVC, ABS, PA, PU, PET, Elastomer, Rubbers	White
AO 1076 CAS #: 2082-79-3		531	50-55	PP, PE, PVC, ABS, PU, PS, PET, Elastomer, Rubbers	White
AO 1024 CAS #: 32687-78-8		553	224-230	PP, PE, PA, Elastomer	White
AO 1098 CAS #: 23128-74-7		637	156-162	PU, PA, Elastomer	White
AO 245 CAS #: 36443-68-2		587	78-80	ABS, MBS, PU, PA, POM, SBR	White
AO 1135 CAS #: 125643-61-0		391	Liquid	PU soft-foam rubber plate	White
AO 697 CAS #: 70331-94-1		697	174-180	PP, PE, ABS, PA, PC, PU	White
AO 330 CAS #: 1709-70-2		775	240-245	PP, PE, PUR, PS, PET, Elastomer, Adhesives	White
AO 2246 CAS #: 119-47-1		341	125-132	ABS, POM	White
AO 168 CAS #: 31570-04-4		647	183-187	PP, PE, PVC, ABS, PA, PC, PS, PET, Rubbers	White
AO 626 CAS #: 26741-53-7		604	160-175	HDPE, LDPE, LLDPE, PP, PVC, ABS, PC	White
AO 1035 CAS #: 41484-35-9		643	63-82	PP, PE, XLPE, ABS, PA, PUR, Elastomer	White
AO 1081 CAS #: 90-66-4		359	82-85	PE, PP, ABS, NBR, BR Natural Rubber	White
AO 1520 CAS #: 110553-27-0		425	Liquid	BR, SBR, NBR, IR, SBS, SIS, Natural Rubber	Light Yellow
AO 300 CAS #: 96-69-5		358	161-163	PP, PE, PVC, ABS, PET, Elastomer	White
AO DLTDP CAS #: 123-28-4		515	38-41	PP, PE, PVC, PA, ABS, MBS, PET	White
AO DSTDP CAS #: 693-36-7		683	64-68	PP, PE, PVC, PA, ABS, MBS, PET	White



PRODUCTS INFORMATION		M.W.	M.P. (°C)	APPLICATION	COLOR
AO 412S CAS #: 29598-76-3		1162	48-54	PP, PE, PC, PS, ABS, SAN, ASA, BR	White
AO 565 CAS #: 991-84-4		589	91-96	BR, NBR, IR, SBS, SEBS, SIS, SBR, PS, PA, ABS, SAN, ASA,	White
AO 3114 CAS #: 27676-62-6		784	218-223	PP, PE, PU, PA, PET, Elastomer, Fibers	White
AO 3052 CAS #: 61167-58-6		395	130-135	MBS, BR SBR, SBS, SEBS, HIPS, SIS, EPDM, EPM, EVM	White
AO CPL CAS #: 68610-51-5		650	105 Min.	BR, NBR, IR, SBS, SIS, SBR, ABS, Natural Rubber, Latex	White
AO 445 CAS #: 10081-67-1		406	99 Min.	PE, PP, PVC, PUR Foam, Elastomer, Polyether, Polyacrylate	White
AO 1425 CAS #: 65140-91-2		727	260 Min.	PP Fiber, PET Fiber	White
AO BHT CAS #: 128-37-0		220	69-71	PP, PE, ABS, PET, Foam, SBR, NBR, BR, Natural Rubber, Latex	White
AO B215 Blend	AO 1010 / AO 168 1:2	--	--	PE, PP, PA, PC, PET, ABS, Rubber	White
AO B220 Blend	AO 1010 / AO 168 1:3	--	--	PE, PP, PA, PC, PET, ABS, Rubber	White
AO B225 Blend	AO 1010 / AO 168 1:1	--	--	PE, PP, PA, PC, PET, ABS, Rubber	White
AO B561 Blend	AO 1010 / AO 168 1:4	--	--	PE, PP, PA, PC, PET, ABS, Rubber	White
AO B900 Blend	AO 1076 / AO 168 1:4	--	--	PE, PP, PC, PET, Engineering Plastic, Elastomer	White
AO B1171 Blend	AO 1098 / AO 168 1:1	--	--	PA, PU, Fiber	White
AO TMQ (RD) CAS #: 26780-96-1		173	80-100	Natural Rubber, NBR, SBR, EPDM, CR	Amber to Brown
AO 4020 (6PPD) CAS #: 793-24-8		268	45 Min.	Natural Rubber, Synthetic Rubber	Gray to Black
AO 4010 CAS #: 101-72-4		226	115 Min.	Natural Rubber, Synthetic Rubber	White